


SEP. 28. 2005 10:30AM

BMS PATENT DEPT

RECEIVED
CENTRAL FAX CENTER

NO. 0322 P. 1/4

SEP 28 2005



Bristol-Myers Squibb Company
Patent Legal Department
Princeton, NJ 08543-4000

Certificate
SEP 30 2005
of Correction

FACSIMILE TRANSMISSION SHEET

IN RE APPLICATION OF

LLOYD ET AL.

APPLICATION NO: 10/823,987

U.S. Patent No. 6,881,753 B2

FILED: APRIL 14, 2004

FOR: POTASSIUM CHANNEL INHIBITORS AND METHOD

DATE OF TRANSMISSION: September 28, 2005

TO: CERTIFICATE OF CORRECTIONS
BRANCH

PTO FACSMILE NO: 571-273-8300

NUMBER OF PAGES: (4, including cover sheet)
REQUEST FOR CERTIFICATE OF
CORRECTION

FROM: Bristol-Myers Squibb Company
ATTN: Deanna L. Baxam

RETURN FACSIMILE NO.: (609) 252-4526

This communication is being filed in the United States Patent and Trademark Office by facsimile transmission according to the provisions of 37 C.F.R. § 1.6(d). The sender acknowledges that the receipt date accorded to the correspondence will be the date on which the complete transmission is received in the Patent and Trademark Office. As required, the application number of the patent or application is entered as a part of the sender's identification above.

If all pages of this transmission are not received, please immediately contact:

Tina Markee @ (609) 252-4300; or
Deanna L. Baxam @ (609) 252-4014.

OCT 03 2005

SEP. 28. 2005 10:30AM

BMS PATENT DEPT

RECEIVED
CENTRAL FAX CENTER

NO. 0322 P. 2/4

SEP 28 2005

CASE HA721DIV4

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Tina Markee
Type or print name

Tina Markee
Signature

September 28, 2005
Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF

LLOYD ET AL.

PATENT NO: 6,881,753 B2

ISSUED: April 19, 2005

FOR: POTASSIUM CHANNEL INHIBITORS AND METHOD

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Attention: Decision and Certification Branch of Patent Issue Division


REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

FOR PTO MISTAKE (37 C.F.R. §1.322(a))

Commissioner:

Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing, which is submitted to show certain changes to be made in the claims of the printed patent.

Claim 1 at column 230, line 60 should read:



These corrections would conform the claims to the amendment and subsequent Examiner's amendments that are included in the file wrapper.

OCT 03 2005

SEP. 28. 2005 10:30AM

BMS PATENT DEPT

NO. 0322 P. 3/4


Attorney Docket NO. HA721DIV4
U.S. Patent No. 6,881,753
Issued: April 19, 2005

In that these errors were incurred by the Office, no fee is believed to be due. If any fee not accounted for is due in connection herewith, please charge such fee to the assignee's Deposit Account No. 19-3880.

Please send the Certificate to the address associated with Customer Account Number 23914.

Bristol-Myers Squibb Company
Patent Department
P.O. Box 4000
Princeton, NJ 08543-4000
609-252-4741

Respectfully submitted,



Deanna L. Baxam
Attorney for Applicants
Reg. No. 45,266

Date: September 28, 2005


Case: HA721 (Div IV)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTIONPage 116 of 118

PATENT NO : 6,881,753 B2
DATED: : April 19, 2005
INVENTOR(S) : LLOYD ET AL.

It is certified that there is an error in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 1 at column 230, line 60:



MAILING ADDRESS OF SENDER:

PATENT NO. 6,881,753 B2

Deanna L. Baxam
Bristol-Myers Squibb Company
Patent Department
P.O. Box 4000
Princeton, NJ 08543-4000
(609) 252-4014

FORM PTO-1050